

TEC Sales

Connecting Manufacturers to Customers with Faith & Integrity

Your Trusted Advisors on **Control Panels**

Call TEC Sales for More Information!

888.470.2444

www.tec-sales.com

sales@tec-sales.com

FAX: 866-404-4535



Industrial Control Panel Components

1 Enclosures



- Hammond Enclosures - Stainless, Aluminum, and Carbon Steel
- Attabox - Non Metallic - Polycarb / Fiberglass
- ABTECH-Hazardous rated GRP, Aluminum, Cast Aluminum, Carbon Steel, Stainless Steel

2 Sprecher + Schuh



Non-Hazards & Hazardous

- Push Buttons
- Power Supplies
- Motor Starters
- Contactors
- Disconnects
- Circuit Breakers
- Terminal Blocks
- Relays
- Power & Tower Alarms

6 Finder



- Relays (all types)
- Timers
- Thermostats
- Heaters
- Fans

7 Thermal Edge



Non & Hazardous Rated

- Air Conditioners
- Fans & Filters
- Heat Exchangers

4 Fuji Low Voltage Drives



- 1/4 to 1,000 HP Variable Frequency Drives

5 BENDER



- Ground Fault Monitoring, Ungrounded & Grounded Systems
- Ground Fault location, Ungrounded
- Resistance Grounding Systems (HRG/LRG)
- Ground Fault Measuring and Monitoring relays

17 ABTECH




- Explosion Proof Experts UL, ATEX, IECEx
- Haz. Loc. Class/Division/Zone ratings
- Electrical, Automation Interface Products & Components
- X, Y, Z Purge Controllers & Indicators

27 EATON HAC



- Hazardous location rated Horns, Strobes, Beacons
- Hazardous location Cameras-PTZ, fixed, thermal, and infrared.



19 American Connectors

- Metal Clad Cable Connectors

3 TCI

- Power & Harmonic Filters
- Line Reactors

8 CITEL

- Surge Protection Devices

15 Panel Components & Systems

- Power, Digital, Analog Meters
- Transducers
- Resistors
- Power Loggers
- Protective Relays

20 EATON Capri/Redapt

- Capri Cable Glands-Armored and Unarmored hazardous location rated cable glands
- Redapt-Drain and Breathers, adaptors, Reducers, and Misc fittings

9



- Stainless Steel cable ties, Banding, Installation tools
- ID product tags and automatic tag embossing machines



- Up to 65 degrees C. UL Listed
- Single Phase Industrial UPS



- Fuses



- Dry-Type Up to 10MVA
- Control Power Transformers



- 2000 degrees UL & IEC Listed Critical Circuit Fire Resistant Control/Power Cable



- All types of Batteries
- Battery charges, & accessories



- Power & Control Cables
- VFD Cables
- Data & Instrumentation Cable



- Single and Three Phase Systems
- From 350VA to 90Kva

Automation Control Panel Components

1 Enclosures



21 ETA

- Circuit Protection Devices
 - Thermal Overcurrent & Magnetic Circuit Breakers
- High Performance Electronic Circuit Breakers
- Power Management Systems
- Digital Switching Systems

20 Eaton Capri/Redapt

- Capri Cable Glands--Armored and Unarmored hazardous location rated cable glands
- Redapt--Drain and Breathers, adaptors, Reducers, and Misc fittings

6 FINDER

9 Hayata Cable Ties

10 Elettrotek Kabel

- Data Cables
- Servo Cables
- Profibus DP Cables
- Robotic Cables
- Can BUS & Safety BUS
- Industrial Ethernet

8 Citel

- Surge Protection Devices

22 Fuji HMIs

- Human Machine Interface Displays from 5.7" to 15" for Netwokin, Wireless, or VNC Server

23 Grace Technologies

- Grace Ports--All types of through panel connectors with covers
- Grace PESD voltage indicators
- Grace Sense continuous monitoring/alerting

Modular Industrial Computers

- Displays /Panel Mount
- Consoles Computers
- Keyboards, Mice, Pointers
- Mounting Systems
- Hazardous Area Systems
- Power Box Industrial Computers

24 Phoenix Solutions



- Industrial HMI / PLCs Combo
- HMI Touch Screens
- Flexilogic PLC
- Modbus Remote I/O
- Industrial Routers

26 Eaton MTL (Hazardous Location)

- Intrinsic Safety - Barriers & Isolators
- Process Alarms
- Signal Conditioning
- HART Interface
- Industrial Ethernet Devices
- HMI & Visualization
- Surge Protection Devices
 - Data, Network, Power, Telcom

14 R-SCC (Vitalink)

- 2000 degrees UL & IEC Listed Critical Circuit Control/Instrument Cable
- Resistive Control/Power Cable



Motor Control Electrical Panel Components

25 Meltric

- Switch Rated Power Plug or Multi-Pin Connectors for Non-Hazardous & Hazardous Locations.
 - Panel-Mounted Configuration
 - NFPA70E - Arc Flash Compliant

27 Eaton HAC

- Hazardous location rated Horns, Strobes, Beacons
- Hazardous location Cameras-PTZ, fixed, thermal, and infrared.

28 Partex Marking Systems

- Ferrules, Terminals, nylon cable ties
- Heat Shrink, Spiral Wrap, Thermal transfer printers
- Cable/Tubing/Marker Sleeves labels.

2 Sprecher + Schuh

- Push Buttons
- Power Supplies
- Motor Starters
- Contactors
- Disconnects
- Circuit Breakers
- Terminal Blocks
- Relays
- Power & Tower Alarms



TEC Sales
Connecting Manufacturers to Customers with Faith & Integrity

Control Panel Components

VENDOR	PRIMARY CONTACTS	ORDER INFO	MIN/FA	CUT-OFF TIMES
 ABTECH abtech-inc.com	C.S.: 346-327-9605 - deanna@abtech-inc.com T.S.: 832-454-3338 - ryan@abtech-inc.com	geoff@abtech-inc.com Fax: None	Minimum Order: \$50 Freight Allowed: None	1:00pm CST
 American Connectors americanconnectors.com	C.S.: 817-535-6268 - carol.jordan@americanconnectors.com T.S.: 817-535-6268 - carol.jordan@americanconnectors.com	carol.jordan@americanconnectors.com Fax: 817-536-0546	Minimum Order: None Freight Allowed: \$1500	None
 AttaBox attabox.com	C.S.: 800-686-0986 - csr@robroyenclosures.com T.S.: 800-686-0986 - dhill@stahlin.com	csr@robroyenclosures.com Fax: 616-794-3378	Minimum Order: \$150 Freight Allowed: \$2250	12:30pm CST
 BENDER benderinc.com	C.S.: 610-383-9200 - industrial.sales@bender-us.com T.S.: 610-383-9200 - customers.service@bender-us.com	orders@benderinc.com Fax: None	Minimum Order: \$100 Freight Allowed: None	1:00pm CST
 CITEL citel.us	C.S.: 800-248-3548 - pradler@citel.us T.S.: 954-551-6751 - lpecourt@citel.us	orders@citel.us Fax: 954-430-7785	Minimum Order: None Freight Allowed: None	1:00pm CST
 EATON Capri HAC Redapt eaton.com/us/en-us.html	C.S.: 956-280-7907 - quotes@tec-sales.com - Ken Knowles T.S.: 956-280-7907 - inside@tec-sales.com	orders@tec-sales.com Fax: None	Minimum Order: \$100 Freight Allowed: None	11:00am CST
 ELETTROTEK KABEL eletrotekkabel.com	C.S.: 973-265-0850 - info@eletrotekkabel.us T.S.: 973-265-0850 - info@eletrotekkabel.us	info@eletrotekkabel.us Fax: 973-265-0854	Minimum Order: \$50 Freight Allowed: \$2,500	2:00pm CST
 E-T-A ENGINEERING TECHNOLOGY e-t-a.com	C.S.: 847-544-5214 - farhat.ali@e-t-a.com T.S.: 214-605-3588 - donnie.brunson@e-t-a.com	farhat.ali@e-t-a.com Fax: 847-827-7655	Minimum Order: \$0 Freight Allowed: \$1000	11:00am CST
 FALCON falconups.com	C.S.: 626-962-7770 - rick@falconups.com T.S.: 404-368-2914 - jorge@falconups.com	rdoub@falconups.com Fax: 626-962-6850	Minimum Order: None Freight Allowed: None	None
 finder finder-us.com	C.S.: 770-271-4431 - m.merritt@finder-us.com T.S.: 770-271-4431 - c.meyer@finder-us.com	m.merritt@findernet.com Fax: 770-271-7530	Minimum Order: \$100 Freight Allowed: None	None
 FUJI ELECTRIC DRIVES & CONTROLS americas.fujielectric.com/products/drives	C.S.: 510-403-7861 - x-fea-acdr-cs@fujielectric.com T.S.: 510-403-7866x1 - x-fea-acdren@fujielectric.com T.S.: 888-900-3854 - After Hours Support	x-fea-acdr-cs@fujielectric.com Fax: 510-933-1672	Minimum Order: None Freight Allowed: None	12:00pm CST
 Fuji Electric americas.fujielectric.com/products/hmi	C.S.: 510-403-7863 - x-fea-hmi-group@fujielectric.com T.S.: 866-838-4031x2 - x-fea-hmi-engineering@fujielectric.com	x-fea-hmi-group@fujielectric.com Fax: 510-933-672	Minimum Order: None Freight Allowed: None	12:00pm CST
 GRACE TECHNOLOGIES graceport.com	C.S.: 1-800-280-9517 - Sales@GraceTechnologies.com T.S.: 1-800-280-9517 - Sales@GraceTechnologies.com	orders@GraceTechnologies.com Fax: None	Minimum Order: None Freight Allowed: None	11:00am CST
 MACROMATIC macromatic.com	C.S.: 800-238-7474 - lindar@macromatic.com T.S.: 888-975-4630 - erich@macromatic.com	sales@macromatic.com Fax: 262-781-4433	Minimum Order: \$100 Freight Allowed: None	None
 MELTRIC CORPORATION meltric.com	C.S.: 414-433-2700 - customerservice@meltric.com T.S.: 414-433-2700 - customerservice@meltric.com	customerservice@meltric.com Fax: 414-433-2701	Minimum Order: \$50 Freight Allowed: \$1000	2:00pm CST
 Modular modularpfc.com	C.S.: 423-477-8238 - insidesales@modularpfc.com T.S.: 423-477-8238 - support@modularpfc.com	insidesales@modularpfc.com Fax: 423-892-0000	Minimum Order: None Freight Allowed: None	N/A
 MTL products by EATON mtl-inst.com	C.S.: 1-800-835-7075 Ext 1 - mtl-us-infosupport@eaton.com T.S.: 1-800-835-7075 Ext 2 - mtl-support@eaton.com	cchmtlorders@eaton.com Fax: None	Minimum Order: \$150 Freight Allowed: None	12:00pm CST
 Phoenix Automation Solutions phoenixsalesinc.com	C.S.: 630-879-8412 - orders@phoenixsalesinc.com T.S.: 630-879-8412 - russ@phoenixsalesinc.com	orders@phoenixsalesinc.com Fax: 516-706-2513	Minimum Order: \$100 Freight Allowed: None	None
 PURGE SOLUTIONS pursesolutions.com	C.S.: 832.368.7166 - info@pursesolutions.com T.S.: 832.368.7166 - info@pursesolutions.com	info@pursesolutions.com Fax: 281.824.4418	Minimum Order: None Freight Allowed: None	None
 RSCC r-scc.com	C.S.: 860-653-8475 - kelly.rule@r-scc.com T.S.: 713-540-7824 - michael.betts@r-scc.com	sales@r-scc.com Fax: 860-653-8301	Minimum Order: \$1000 Freight Allowed: Only if Truck load	9:00am CST
 SIBA sibafuses.com	C.S.: 973-575-7422 - info@sibafuse.com T.S.: 973-575-7422 - mark@sibafuse.com	info@sibafuse.com Fax: 973-575-5858	Minimum Order: None Freight Allowed: None	None
 sprecher+ schuh sprecherschuh.com	C.S.: 877-721-5913 - customerservice@sprecherschuh.com T.S.: 877-721-5913 - customerservice@sprecherschuh.com	customerservice@sprecherschuh.com Fax: 800-739-7370	Minimum Order: \$100 - Waived w/Air Ship Freight Allowed: \$1000	1:00pm CST
 Thermal Edge Inc. TEMPERATURE SOLUTIONS FOR ELECTRICAL ENCLOSURES thermal-edge.com	C.S.: 972-580-0200 - doug.meyer@thermal-edge.com T.S.: 972-580-0200 - doug.meyer@thermal-edge.com	orders@thermal-edge.com Fax: 972-580-0277	Minimum Order: None Freight Allowed: Call	12:00pm CST
 UPGI STAY POWERED www.upgi.com	C.S.: 469-892-1122 - bowersa@upgi.com T.S.: 954-551-6751 - lengacherd@upgi.com	orders@upgi.com Fax: 954-430-7785	Minimum Order: None Freight Allowed: \$2,000	11:00am CST
 XTREME Power Conversion www.xpcc.com	C.S.: 715-213-1692 - bonnie@xpcc.com T.S.: 608-438-6822 - jeff@xpcc.com	inbox@xpcc.com - Pattie Fax:	Minimum Order: None Freight Allowed: 15K	4:00pm CST

sales@tec-sales.com | Tel.: 1.888.470.2444 | E-mail.: sales@tec-sales.com | FAX: 866-404-4535